

DESIGN RANGE

EN442 (W) 70/50/20°C

EN442 (W) 55/45/20°C

EN442 (W) 75/65/20°C



Height	H 300		H 500			H 600			H 750		
Columns	3	4	2	3	4	2	3	4	3	4	
Horizontal version											
Length											
L 440	W	225	288		351	464		413	550		677
	W	157	201		244	323		287	382		469
	W	298	381		464	615		547	730		900
	kg	6,3	8,1		9,9	13,5		11,7	16,2		19,8
	l	5,4	7,2		7,2	9,9		9	10,8		13,5
	n	1,2495	1,2517		1,2585	1,2626		1,263	1,2681		1,2762
	ArtN°	70060300030440	70060300040440		70060500030440	70060500040440		70060600030440	70060600040440		70060750040440
L 624	W	326	416	373	507	670	440	596	794		978
	W	227	290	260	353	466	306	415	552		677
	W	430	550	494	671	888	582	790	1.054		1.300
	kg	9,1	11,7	10,4	14,3	19,5	11,7	16,9	23,4		28,6
	l	7,8	10,4	7,8	10,4	14,3	9,1	13	15,6		19,5
	n	1,2495	1,2517	1,2553	1,2585	1,2626	1,2611	1,263	1,2681		1,2762
	ArtN°	70060300030624	70060300040624	70060500020624	70060500030624	70060500040624	70060600020624	70060600030624	70060600040624		70060750040624
L 854	W	451	576	517	701	928	609	826	1.100	1.010	1.354
	W	315	402	360	488	645	423	574	764	701	938
	W	596	761	684	929	1.229	806	1.094	1.460	1.341	1.800
	kg	12,6	16,2	14,4	19,8	27	16,2	23,4	32,4	30,6	39,6
	l	10,8	14,4	10,8	14,4	19,8	12,6	18	21,6	19,8	27
	n	1,2495	1,2517	1,2553	1,2585	1,2626	1,2611	1,263	1,2681	1,2699	1,2762
	ArtN°	70060300030854	70060300040854	70060500020854	70060500030854	70060500040854	70060600020854	70060600030854	70060600040854	70060750030854	70060750040854
L 1038	W	551	704	632	857	1.134	744	1.009	1.344	1.235	1.655
	W	385	491	440	597	788	518	702	934	857	1.146
	W	728	931	836	1.135	1.503	986	1.338	1.784	1.639	2.200
	kg	15,4	19,8	17,6	24,2	33	19,8	28,6	39,6	37,4	48,4
	l	13,2	17,6	13,2	17,6	24,2	15,4	22	26,4	24,2	33
	n	1,2495	1,2517	1,2553	1,2585	1,2626	1,2611	1,263	1,2681	1,2699	1,2762
	ArtN°	70060300031038	70060300041038	70060500021038	70060500031038	70060500041038	70060600021038	70060600031038	70060600041038	70060750031038	70060750041038
L 1268	W	676	864	775	1.052	1.391	913	1.238	1.650	1.515	2.031
	W	472	603	540	733	968	635	861	1.146	1.051	1.407
	W	894	1.142	1.026	1.393	1.844	1.210	1.642	2.190	2.012	2.700
	kg	18,9	24,3	21,6	29,7	40,5	24,3	35,1	48,6	45,9	59,4
	l	16,2	21,6	16,2	21,6	29,7	18,9	27	32,4	29,7	40,5
	n	1,2495	1,2517	1,2553	1,2585	1,2626	1,2611	1,263	1,2681	1,2699	1,2762
	ArtN°	70060300031268	70060300041268	70060500021268	70060500031268	70060500041268	70060600021268	70060600031268	70060600041268	70060750031268	70060750041268
L 1452	W	776			1.208			1.422		1.740	
	W	542			841			989		1.207	
	W	1.026			1.600			1.885		2.310	
	kg	21,7			34,1			40,3		52,7	
	l	18,6			24,8			31		34,1	
	n	1,2495			1,2585			1,263		1,2699	
	ArtN°	70060300031452			70060500031452			70060600031452		70060750031452	
L 1866	W	1.002			1.559			1.835		2.245	
	W	699			1.085			1.276		1.558	
	W	1.324			2.064			2.432		2.980	
	kg	28			44			52		68	
	l	24			32			40		44	
	n	1,2495			1,2585			1,263		1,2699	
	ArtN°	70060300031866			70060500031866			70060600031866		70060750031866	



Seasons

change,

and so

do we !

Austria • Belarus • Belgium • Cyprus • Czech Republic • Estonia • France • Germany • Greece • Iceland • Ireland • Lithuania
Luxemburg • Norway • Poland • Portugal • Slovenia • Spain • Sweden • The Netherlands • Tunisia • Ukraine • United Kingdom

NEDERLANDS

Caradon Stelrad B.V. | Kathagen 30 | 6361 HG Nuth | T. +31 455 65 62 62

WWW.STELRAD.EU



Stelrad
Europe's favourite radiator